

Series 4, built-in fridge, 122.1 x 54.1 cm, flat hinge KIR41VFE0



Optional accessories

KSZB6R00 Bottle Rack

The spacious built-in fridge with Multi Box XXL drawer for fruit and vegetables and high stability door trays provides optimal food storage.

- **Cool Airflow:** optimal air circulation and even temperature level in the cooling area.
- **Keep your groceries in perfect view.**
- **Made in Germany:** high quality standards and thorough testing for enduring satisfaction.
- **Cools new food placed inside faster, thus protecting already cooled food.**
- **Safety glass shelves:** safe storage thanks to particularly stable and shatterproof shelves.

Technical Data

Energy Efficiency Class (Regulation (EU) 2017/1369): E
 Average annual energy consumption in kilowatt hour per year (kWh/a) (EU) 2017/1369: 101 kWh/annum
 Sum of volume of frozen compartments (EU 2017/1369): 0 l
 Sum of volume of chill- and unfrozen compartments (EU 2017/1369): 204 l
 Airborne acoustical noise emissions (EU 2017/1369): .35 dB(A) re 1 pW
 Airborne acoustical noise emission class (EU 2017/1369): B
 Built-in / Free-standing: Built-in
 Door panel options: Possible but accessory
 Height: 1221 mm
 Width of the appliance: 541 mm
 Depth of the product: 548 mm
 Required niche size for installation (HxWxD): 1225x560x550 mm
 Net weight: 39.3 kg
 Fuse protection: 10 A
 Door hinge: Right reversible
 Voltage: 220-240 V
 Frequency: 50 Hz
 Length electrical supply cord: 230 cm
 Number of compressors: 1
 Number of independent cooling systems: 1
 Interior ventilator: No
 Reversible Door Hinge: Yes
 Number of Adjustable Shelves in fridge compartment: 4
 Shelves for Bottles: Yes
 EAN code: 4242005271818
 Brand: Bosch
 Product name / Commercial code: KIR41VFE0
 Product category: Refrigerator
 Installation typology: Full-integrated



Series 4, built-in fridge, 122.1 x 54.1 cm, flat hinge KIR41VFE0

The spacious built-in fridge with Multi Box XXL drawer for fruit and vegetables and high stability door trays provides optimal food storage.

Cooling

- Number of shelves in fridge compartment: 5
- Number of Adjustable Shelves in fridge compartment: 4
- Number of Door Bins - Refrigerator: 4
- Light Wattage - Refrigerator: LED

Freezing

- Star Rating: No

Connectivity

Highlights

- Dimensions: 1221x541x548 mm
- Energy Efficiency Class (Regulation (EU) 2017/1369): E
- Sum of volume of chill- and unfrozen compartments (EU 2017/1369): 204 l
- Airborne acoustical noise emissions (EU 2017/1369): 35 dB(A) re 1 pW
- Freshness system: VitaFresh
- List of warnings: Open door of fridge compartment
- Net weight: 39.3 kg

General

- Main colour of product: Not applicable
- Door hinge: Right reversible
- Hinge type: flat hinge
- Dispenser: Not applicable
- Type of control setting and signalling devices: Button
- Energy Efficiency Class (Regulation (EU) 2017/1369): E
- Average annual energy consumption in kilowatt hour per year (kWh/a) (EU) 2017/1369: 101 kWh/annum
- Sum of volume of chill- and unfrozen compartments (EU 2017/1369): 204 l
- Sum of volume of frozen compartments (EU 2017/1369): 0 l
- Airborne acoustical noise emissions (EU 2017/1369): 35 dB(A) re 1 pW
- Airborne acoustical noise emission class (EU 2017/1369): B
- Climate Class (EU) 2017/1369: Extended temperate, Subtropical, Temperate



Size and weight

- Dimensions: 1221x541x548 mm
- Dimensions of the packed product (HxWxD): 1290x620x640 mm
- Minimum height for installation: 1225 mm
- Maximum height for installation: 1225 mm
- Minimum width for installation: 560 mm
- Maximum width for installation: 560 mm
- Depth for installation: 550 mm
- Net weight: 39.3 kg
- Gross weight: 42.6 kg
- Length electrical supply cord: 230 cm

Specific Features

- Freshness system: VitaFresh
- Extremely quiet
- SuperCooling
- Type of bottle rack: 1 bottle support grid
- Type of display: LED
- List of warnings: Open door of fridge compartment

Series 4, built-in fridge, 122.1 x 54.1 cm, flat hinge KIR41VFE0



Maximal permissible weight of the unit fronts

Fitted unit fronts that exceed the permissible weight may cause damage and result in functional impairment of the hinges

Δ Weight
A: Appliance door height including hinges in mm



B: Undamped hinge, unit front in kg

C: Damped hinge, unit front in kg

D: Additional possible load in kg with heavy load kit


A	B	C	D
1500-1750	22	22	
720-1400	19	19	B+5 / C+5
A1	15	19	
A2	15	19	

Measurements in mm



measurements in mm

Measurements in mm




A: $\geq 560 \text{ mm}$ (recommended)

B: Socket

measurements in mm

Recommended gap dimensions for flat hinges



F	R	X
16-19	0-3	2.5
20	0-1	3
	2-3	2.5
21	0-1	3
	2-3	2.5
22	0	4
	1	3.5
	2-3	3

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.